

Telescopic Mast 4 m

Specification

Part number: 4.3179.30.080


General





Length	4 m
Diameter	80 / 71 mm
Top of Mast	Ø 71 mm
Material	Aluminium (AlMgSi1)
Weight	15 kg


Versions

No other versions of this product are available.

Accessories

Product	Product name	Brief description
	Lightning Rod 4.3100.99.170	for mast tube Ø 71 mm General Length 560 mm Height 1500 mm Mounting at mast tube Ø 71 mm Material steel, galvanised Weight 4 kg

	<p>Traverse for Wind Transmitters Compact 4.3171.3x.000</p>	<p>For mounting the wind transmitter and wind direction transmitter jointly onto a mast.</p> <p>Material</p> <p>Traverse aluminium (AlMgSi0.5) Gripping clamb stainless steel</p> <p>General</p> <p>Sensor distance horizontal 0.8 m Weight 0.35 kg Mounting hole Ø 29 mm</p>
	<p>Traverse short for Wind Transmitters Compact 4.3171.4x.000</p>	<p>For mounting one wind transmitter or wind direction transmitter at a mast.</p> <p>Material</p> <p>Traverse aluminium (AlMgSi0.5) Gripping clamb stainless steel</p> <p>General</p> <p>Sensor distance horizontal 0.4 m Weight 0.3 kg Mounting hole Ø 29 mm</p>
	<p>Traverse for Classic Wind Transmitters 4.3173.01.001</p>	<p>Modell for</p> <ul style="list-style-type: none"> • Mounting on Ø 71 mm mast tube <p>General</p> <p>Mounting on mast tube Ø 71 mm (Ø 71 x 74 mm)</p>
	<p>Tilting device for 4 m mast 4.3181.03.080</p>	<p>For field mounting on fundament</p> <p>General</p> <p>Height 1580 mm Material steel, galanised Weight 60 kg</p>



Double Hanger
First Class, 2m
4.3184.10.000

For mounting the wind speed transmitter and wind direction transmitter jointly onto a mast.

General

Height	0.63 m
Mounting	for mast tube \varnothing 80 ... 132 mm
Material	aluminium (AlMgSi0.5)
Sensor distance horizontal	2 m
Sensor distance vertikal	0.3 m
Weight	2.8 kg
Mounting	\varnothing 34 mm for First Class wind sensors

